(21) Application No. 31459/72 (22) Filed 5 Dec. 1972

- (23) Complete Specification filed 1 March 1974
- (44) Complete Specification published 15 Dec. 1976
- (51) INT. CL.2 A61K 35/78
- (52) Index at acceptance
 A5B 301 30X 30Y 361 36Y 38Y 39X



(54) A COMPOSITION FOR AND A PROCESS THEREWITH OF TREATING THE HAIR AND/OR SCALPS OF ANIMALS

(71) I. FRITZ SYKORA, of 294 Black-moorfoot Road, Crosland Moor, Huddersfield in the County of York, a British subject, do hereby declare the invention, for which I pray that a patent may be granted to me and the method by which it is to be performed, to be particularly described in and by the following statement:—

10 The present invention relates to new or improved compositions which are capable of stimulating the growth of hair and/or modifying the texture of hair and/or stimulating the condition of the scalp.

15 Countless proposals have been made and adopted for controlling the growth of hair and, more particularly, for retarding hair loss and stimulating its restoration in man, such proposals including electrical massage, digital massage, the application of nutrient materials and solutions, etc., but it is fair to say that no universally efficacious treatment has yet been evolved.

Many of the established treatments are satisfactory in promoting the restoration of hair following specific illnesses, but no wholly satisfactory solution has been provided for combating the loss of hair so very often associated with advancing senil-30 ity.

The growth, condition, and pigmentation of the hair is very largely influenced by the state of a person's nerves, there being certain nervous conditions which cause a presult that the growth of hair ceases altogether. It is generally accepted that continual excessive mental strain, worry, or insomnia may lead to a stoppage of hair growth. It has been observed, though to a lesser extent, that a sudden shock caused, for example, by being involved in an accident, or the discovery of a tragedy, can be responsible for partial or total hair loss accompanied in many cases by a stoppage

of any further growth. It is also generally accepted that continual excessive mental strain, worry or shock may produce alterations in the pigmentation of the hair, the commonest alteration being that of 'greying' of the hair. Hair loss may also be caused by the condition of the scalp.

The term given to hair loss, whether it be a slight thinning or complete baldness, is 'ALOPECIA'.

It is an object of the present invention to provide new compositions which are capable of stimulating hair growth, or restoring hair growth, or stimulating the pigmentation and condition of the hair, or stimulating the condition of the scalp, or any combination of the aforesaid objectives.

A further object of the invention is to provide a novel composition which can be 65 applied as a liquid without any elaborate associated massage.

According to the invention, a composition capable of stimulating hair growth and/or stimulating the condition of the 70 scalp includes pantothenic acid and jaborandi and/or capsicum all admixed with a non-irritant solvent.

Preferably, the non-irritant solvent is isopropyl-alcohol or industrial methylated 75 spirits. It is preferred that the non-irritant solvent is diluted by the addition of soft or distilled water. A perfume agent such as rose-water, may be contained in the composition. It is further preferred that the 80 composition contains acetic acid.

It is further preferred that a scalp stimulant, such as a menthol extract, be contained in the composition. Brazilian menthol may be used as the menthol ex- 85 tract.

The substances used in the preparation of the examples of the composition to be described hereinafter are as follows:—

ISOPROPYL ALCOHOL is a colourless 90

mobile fluid made by (a) from acetone by dried ripe fruit of capsium fastigiatum, reduction with sodium amalgam, (b) by which is a small shrub native to Southern 25 catalytic hydrogenation or (c) by reaction India. This is a hair growth stimulant. of sulphuric acid with propylene of petro-ACETIC ACID is an acid prepared by 5 leum gases and subsequent hydolysis. It is the oxidation of alcohol or formentation of a non-irritant solvent and is used as a alcoholic liquids. It is used as a cleaner in cleanser of the scalp.
PANTOTHENIC ACID which is norconjunction with isopropyl alcohol. ROSE-WATER is water possessing oils mally a viscous oil, may be formed as a obtained from rose petals after the latter have been exposed in or to the water. It 10 white crystalline powder and is a growth factor for certain micro-organisms and acts serves as perfume agent to hide the odours as a vitamin. It is known as a hair growth of other chemicals. stimulant. MENTHOL. — Brazilian Crystals is a DISTILLED WATER is a relatively soft colourless crystalline substance isolated 15 and purified water, having undergone disfrom Japanese Peppermint Oil. It is a contillation. ditioner for the scalp. JABORANDI.—This is a tincture of the dried leaves of Pilocarpus microphyllus. HYDROXYBENZOATE B.P.C. solvent which gives vitality and body which is a shrub indigenous to Brazil.

20 Jaborandi has a stimulant action for hair to the composition when prepared. Compositions of matter in accordance with the present invention will now be growth, although it is invitable to the scalp. illustrated by way of the following 45 CAPSICUM.—This is a tincture of the examples:-EXAMPLE 1 (Relative quantities). 1,000 millilitre. ISOPROPYL ALCOHOL DISTILLED WATER 600 millilitre. 50 CAPSICUM 300 millilitre. **JABORANDI** 350 millilitre. PANTOTHENIC ACID 120 grams. 100 millilitre. ROSE-WATER BRAZILIAN MENTHOL B.P. 80 grams. This composition is made by firstly mixposition is prepared. After the twenty four hours half the quantity of rose-water is mixed with the capsicum/pantothenic acid/jaborandi mixture and the other half is 70 ing the capsicum, pantothenic acid powder and jaborandi together and leaving the mixture for about twenty four hours. After twenty three hours from the mixing of the mixed with the isopropyl alcohol/distilled 60 capsicum, pantothenic acid and jaborandi the isopropyl alcohol is mixed with the water mixture. Both mixtures are then left for about two hours, after which they are distilled water, the latter diluting the formixed together and well stirred. They are mer, this mixture being left for apthen left for five days, being stirred ocproximately one hour. The irritant effects of the jaborandi are substantially reduced casionally during this time. After five days, the mixture, or composition as it then is, or completely eliminated when the comcan be decanted and bottled. EXAMPLE 2. ISOPROPYL ALCOHOL (Relative quantities). 85 1,000 millilitre. DISTILLED WATER 600 millilitre. CAPSICUM 300 millilitre. JABORANDI 350 millilitre. PANTOTHENIC ACID 120 grams. 100 millilitre. 90 **ROSE-WATER** BRAZILIAN MENTHOL B.P. 80 grams. This composition is made in a similar fashion to EXAMPLE 1, excepting that the the isopropyl alcohol prior to the latter 95 being mixed with the distilled water. Brazilian menthol crystals are dissolved in EXAMPLE 3. (Relative quantities). 1.000 millilitre. ISOPROPYL ALCOHOL 100 DISTILLED WATER 650 millilitre. ACETIC ACID CAPSICUM 10 millilitre. 175 millilitre. **JABORANDI** 350 millilitre.

40 grams

150 millilitre

80 grams.

PANTOTHENIC ACID

BRAZILIAN MENTHOL B.P.

ROSE-WATER

105

10

This composition is made in a similar fashion to EXAMPLE 1, excepting that the acetic acid is mixed with the isopropyl al-

EXAMPLE 4. ISOPROPYL ALCOHOL DISTILLED WATER (OR SOFT WATER) **JABORANDI** PANTOTHENIC ACID HYDROXYBENZOATE B.P.C. **ROSE-WATER**

BRAZILIAN MENTHOL B.P. The composition is prepared by mixing 60% of alcohol to 40% of soft or distilled water and then leaving the mixture to stand for at least 12 hours, whereupon the jaborandi is added and the whole is left to 20 stand for a further 24 hours to allow sediment to settle. The pantothenic acid is next added to the mixture and it has been found that best results are obtained by adding half the required amount of pan-25 tothenic acid and leaving the mixture for 48 hours before adding the remaining half. The mixture is then left for a further 72 hours before it is tested for stability. If it is found that the mixture has become 30 stable and the composition has become clear, then slightly more jaborandi is added and the mixture is stirred vigorously and left for 24 hours. Hydroxybenzoate B.P.C is added to give the mixture body and 35 vitality. The rose-water (or alternatively orange water) is then added and again the mixture is stirred vigorously, this rosewater giving the mixture a perfume. The menthol, which acts as a cleanser, is next 40 added to the mixture and then it is left to stand for 48 to 72 hours. After such a time the mixture is vigorously agitated and then left to stand for a week whereupon the mixture is sampled and tested for a 'body'. 45 Following a further standing of one week the mixture is ready for use.

This composition is thought to be stable

for an indefinite period.

The methods of treatment with such 50 compositions are relatively important and such factors as duration of application of composition, working temperature, frequency of applications may vary with individual cases.

The following are general methods of use for certain conditions.

METHOD 1. In cases of rapid hair loss, which is often noticed when brushing the hair, it has been found that oil which 60 is brought to the surface of the scalp by the hair itself reacts with a fatty matter secreted by the sebaceous glands to form a mixture which blocks the vents through which the hair grows. This blocking causes an obstruction and the hair breaks off at the vent, the latter being eventually completely blocked by the mixture. After a cohol prior to the latter being mixed with the distilled water.

(Relative quantities). 600 millilitre.

400 millilitre. 300 millilitre. 100 grams. 10 grams. 100 millilitre. 80 grams.

long period of such blockage the hair root itself may die.

A preparation such as that described in 70 EXAMPLE 1 might be used in this case in order to clean the scalp and stimulate hair growth. In the application of the composition, about ½ oz. is massaged vigor-ously into the scalp for above five minutes. 75 The head is then covered with a towel for about fifteen minutes. After shampooing, a further 1 oz. of the composition is massaged into the scalp and the hair is then left to dry without washing or rinsing the com- 80 position away. This treatment should be undertaken about once a week.

METHOD 2. This method is applicable to cases of SEBORRHOEA. The meaning of the word seborrhoea is an over-flowing 85 of the sebaceous matter, the disease having various names according to its pathological variations. It is a disorder of the fat glands which produce an increase in and an alteration of the secretion from the 90 sebaceous glands which forms an oily, waxy, or scaly accumulation of matter on the surface of the scalp. SEBORRHOEA SICCA relates to the production of the waxy and scaly forms, it being very com- 95 mon and the chief cause of premature baldness. SEBORRHOEA EC-ZEMAFORMIS is a disease which is undetected and causes gradual thinning of the hair. It may often result in inflammation of 100 the scalp accompanied by an abundance of flaky and fatty scales.

These fatty substances (pelletised dandruff) block the hair vents and eventually the hair breaks off and the root may die.

In such cases the important point in treatment is to cleanse the scalp and the composition of EXAMPLE 3 is thought to be the best for this task. Before application, the hair should be shampooed, and 110 then $\frac{3}{4}$ oz. of the composition can be massaged into the wet scalp for about ten minutes. Then a further $\frac{1}{2}$ oz. of the composition should be massaged into the scalp, followed by covering the head with a hot 115 towel for about five minutes. After the five minutes another hot towel is placed on the head for a similar period. The hair can now be dried. Such application should be repeated twice weekly, unless the disease is 120

serious, the treatment being repeated four times weekly in the latter case.

METHOD 3. This method is applicable in cases of ALOPECIA caused by a nersous complaint. In such cases the supply of food by the nerves to the hair root ceases and as a result the roots cease to function and the hair eventually drops out. To treat such cases a stimulant for the 10 scalp and nerves is required, the composition of EXAMPLE 2 and EXAMPLE 4 providing this stimulant.

½ oz. to ½ oz. of the composition is massaged vigorously into the scalp for about 15 five minutes and then the head is covered with a hot towel for a further ten minutes. This procedure is repeated once and then the hair is shampooed. A further ½ oz. of the composition is massaged into the wet 20 scalp and then the hair is dried without rinsing the final application out of the hair. This procedure should be repeated daily.

In all treatments of this kind it is vital that the hair roots do not die and it is therefore necessary to act as early as possible.

In each of the examples of compositions described herein, diluted isopropyl alcohol is used, but it is possible to employ diluted 30 industrial methylated spirits in each case as a substitution to diluted isopropyl alcohol.

In cases of alopecia which have been treated with a composition in accordance 35 with this invention, it has been observed that a few weeks after commencement of the treatment portions of scalp which had

lost hair were beginning to yield a 'down'-like hair.

WHAT I CLAIM IS: —

1. A composition capable of stimulating hair growth and/or stimulating the condition of the scalp which includes pantothenic acid and jaborandi and/or capsicum all admixed with a non-irritant sol- 45 vent.

2. A composition as claimed in Claim 1. wherein the non-irritant solvent is isopropyl alcohol or industrial methylated spirits

3. A composition as claimed in Claim 2, wherein the non-irritant solvent is diluted with either distilled water or soft water.

4. A composition as claimed in any one 55 of Claims 1 to 3, which further includes a perfume agent.

5. A composition as claimed in Claim 4, wherein the perfume agent is either rose-water or orange-water.

 A composition as claimed in any one of the preceding claims, which further includes a scalp stimulant.

7. A composition as claimed in Claim 6, wherein the scalp stimulant is a menthol 65 extract, such as Brazilian menthol.

8. A composition as claimed in Claim 1, prepared substantially as herein described in any one of Examples 1, 2, 3 and

APPLEYARD, LEWIN & PEACOCK, 15. Clare Road, Halifax, Yorkshire, Agents for the Applicant.

Printed for Her Majesty's Stationery Office by The Tweeddale Press Ltd., Berwick-upon-Tweed, 1976.

Published at the Patent Office, 25 Southampton Buildings, London, WC2A 1AY, from which copies may be obtained.